



Isuzu 25m 32m 38m 45m 52meters 63meters Concrete Pump Truck Mounted Concrete Pump

Our Product Introduction

Basic Information

- Place of Origin: China
- Brand Name: Pump Truck
- Minimum Order Quantity: 1 Unit
- Price: 110,000.00/units =1 unit
- Delivery Time: 10-20work days
- Payment Terms: L/C, D/A, D/P, T/T
- Supply Ability: 100 units



Product Specification

- Chassis Brand: Shacman、Sinotruk、North Rush Heavy Truck、Dongfeng、Isuzu、Auman
- Emission Standard: Euro -Euro
- Engine Brand: WeiChai/Commins
- Engine Horsepower: 240-470HP
- Drive Type: 4X2、 6X4、 8X4
- Vehicle Weight: 18-47T
- Wheelbase: 1950+4650+1350(mm)
- Arm Frame Length: 28-65(m)
- Main Oil Pump Displacement: 190-260(L/min)
- Inner Diameter Of Conveying Cylinder × Stroke: 230×1450-260×2100(mm)
- Tyre: 11.00R20, 12.00R20, 12R22.5, 295/80R22.5, 315/80R22.5
- Cab: Flat Top/Low Top/High Top

for more products please visit us on chinadumptrucks.com

Product Description

There are both brand new and second-hand trucks. Just tell us your transportation needs and we will customize tractors with different loading weights, volumes, and colors. A good truck will help you work well.

Product Description OF Concrete Pump Truck:

The boom can only be operated after confirming that the pump truck's legs are properly supported. The boom must be operated in accordance with the order described in the operating procedures.

The boom cannot be used during thunderstorms or severe weather conditions. The boom cannot be used in weather with wind force greater than level 8.

When operating the boom, the entirety of the boom should be within the operator's field of vision.

When working near high-voltage wires, be careful of the risk of electric shock. Keep a safe distance between the boom and the wires. 5. The bottom of the boom is a dangerous area, and concrete or other parts may fall and injure people.

No one is allowed to stand within the specified range of the end hose. When the pump truck starts pumping, the end hose must not be guided. It may swing and injure people or cause an accident by spraying concrete. The danger zone when starting the pump is the area around the swing of the end hose. The area diameter is twice the length of the end hose. The maximum length of the end hose is 3m, and the diameter of the dangerous area is 6m.

Do not bend the end hose and do not dig the end hose into the concrete.

If the boom moves abnormally, press the emergency stop button immediately. Have professionals find out the cause and eliminate it before continuing to use it.

Product Application OF Concrete Pump Truck :

At present, the main products include 28m, 31m, 33m, 38m, 50m, 58m, and 65m concrete pump trucks and 28m, 38m, 44m, and 46m mixing pump trucks, 24m, 36m, and 47m aerial work vehicles, 10-50 ton bulk cement trucks, mobile unloadable mixing stations and other engineering machinery equipment; the country's first two-axle 38m pump truck, 46m mixing pump truck, four-axle 65m pump truck, cement truck, mobile unloadable mixing station and other star products.

Dedicated to serving urban and rural infrastructure, it is an enterprise specializing in the production of large-scale construction engineering machinery and equipment, integrating scientific research, production, sales and after-sales service.

Product Features OF Concrete Pump Truck:

Product Name	Concrete Pump Truck 4X2/6X4/8X4
Wheelbase	1950+4650+1350 mm
Engine Model	WEICHAI/Commins
Horsepower	240-470 horsepower
Vehicle Quality	18000-47000kg
Bridge Number	4
Tyre	11.00R20,12.00R20,12R22.5,295/80R22.5,315/80R22.5
Colour	As customer's request
MAX pumping Capacity	180m ³
Provide After-sales Service	Video technical support, online support

▲ The values in the configuration table are subjected to change. The data in the configuration table are for reference only. Mix and matching some configurations may not be technically possible, please contact your local sales representative to help you choose the right specifications for your needs.

Product Image



FAQ

1.Q: What kind of payment do you accept?

A: We accept T/T;L/C and Western Union; Others payment is negotiable.

2.Q: What's your minimum order quantity?

A: One unit

3.Q: What's your delivery time?

A:Determine according to the specirie Moael. dump truck usually 30 days after received the deposit.

4.Q: What's warranty time?

A: 30,000 km or 12 months from the date of shipment whichever comes first

5.Q: What's your after-sale service?

A: We provide technical support for our trucks and whole life parts supply

Hot Tags: Pump truck 8x4 6x4 4x2 , China, suppliers, concrete pump truck, price, best, brand new, for sale



Zhengzhou Hongyang Automobile Sales Service Co., Ltd.



13629843569



celia@zzhonyang.cn



chinadumptrucks.com

Room 907, Block A, Shenglong Golden Central, Intersection of Longhai Road and Tongbai Road, Zhongyuan District, Zhengzhou City