

# 240-470 Horsepower High Concrete Pump Truck Easy And Safe Operation

## **Basic Information**

- Place of Origin:
- Brand Name:
- Minimum Order Quantity:
- Price:
- Delivery Time:
- Payment Terms:
- Supply Ability:



- ns: L/C, D/A, D/P, T/T
  - 100 units

China

Pump Truck



## **Product Specification**

Chassis Brand:	Shacman, Sinotruck, North Rush Heavy Truck, Dongfeng, Isuzu, Auman
Emission Standard:	Euro 2-Euro 5
• Engine Brand:	WeiChai/Cummins
• Cab:	Flat Top/Low Top/High Top
Engine Horsepower:	240-470HP
• Wheelbase:	1950+4650+1350(mm)
Arm Frame Length:	28-65(m)
• Turn Table Rotation Angle:	359°
<ul> <li>Inner Diameter Of Conveying Cylinder × Stroke:</li> </ul>	230×1450-260×2100(mm)
• Tyre:	11.00R20,12.00R20,12R22.5,295
Air Conditioner:	Manual
Main Oil Pump     Displacement:	190-260(L/min)

Our Product Introduction

#### Product Description of Concrete Pump Truck:

Hydraulic Cylinder Diameter: The cylinders that extend the boom are typically large in diameter, for example, 220 mm, to provide the necessary force for extending and stabilizing the boom.

Hydraulic Pump: High-capacity variable displacement hydraulic pumps, such as a 210 mL/rev pump, ensure smooth and efficient operation of the boom and pumping system.

Hydraulic Oil Capacity: The hydraulic oil tank capacity can be around 800 liters, which helps in maintaining the temperature and ensuring continuous operation without overheating.

Delivery Cylinder Diameter: The diameter of the concrete delivery cylinder might be 210 mm, which determines the flow rate and pressure capability of the pump.

Delivery Cylinder Stroke: The stroke length can be around 1,200 mm, affecting the volume of concrete pumped per cycle.

Pipeline Material: High-wear-resistant steel or synthetic materials are used for the concrete delivery pipeline to withstand the abrasive nature of concrete.

#### Product Application of Concrete Pump Truck :

28m, 31m, 33m, 38m, 50m, 58m, and 65m concrete pump trucks and 28m, 38m, 44m, and 46m mixing pump trucks, 24m, 36m, and 47m aerial work vehicles, 10-50 ton bulk cement trucks, mobile unloadable mixing stations and other engineering machinery equipment; the country's first two-axle 38m pump truck, 46m mixing pump truck, four-axle 65m pump truck, cement truck, mobile unloadable mixing station and other star products.

Dedicated to serving urban and rural infrastructure, it is an enterprise specializing in the production of large-scale construction engineering machinery and equipment, integrating scientific research, production, sales and after-sales service.

### Product Features of Concrete Pump Truck:

Product Name	Concrete Pump Truck 4X2/6X4/8X4
Wheelbase	1950+4650+1350 mm
Engine Model	WEICHAI/Commins
Horsepower	240-470 horsepower
Vehicle Quality	18000-47000kg
Bridge Number	4
Tyre	11.00R20,12.00R20,12R22.5,295/80R22.5,315/80R22.5
Colour	As customer's request
MAX pumping Capacity	180m <sup>3</sup>
Provide After-sales Service	Video technical support, online support

▲ The values in the configuration table are subjected to change. The data in the configuration table are for reference only. Mix and matching some configurations may not be technically possible, please contact your local sales representative to help you choose the right specifications for your needs.

#### **Product Image**



FAQ 1.Q: What kind of payment do you accept? A: We accept T/T;L/C and Western Union; Others payment is negotiable. 2.**Q: What's your minimum order quantity?** A: One unit 3.Q: What's your delivery time? A:Determine according to the specirie Moael. dump truck usually 30 days after received the deposit. 4.Q: What's warranty time? A: 30,000 km or 12 months from the date of shipment whichever comes firs 5.**Q: What's your after-sale service?** A: We provide technical support for our trucks and whole life parts supply



